



Rowmark Sheet: Epilog 60 Watt Laser Settings Guide

"The laser settings in this document are for reference purposes only and are provided by Rowmark to our customers as a courtesy. Different laser manufacturers and wattages may produce different results. If you have specific questions relative to your laser's capability, please contact your laser company representative for their suggestions"

Updated: 9/23/08

| Contemporary Wood Collection | Raster Power | Raster Speed | PPI | Passes | Vector Power | Vector Speed | PPI | Passes | Notes |
|--------------------------------|--------------|--------------|-----|--------|--------------|--------------|-----|--------|---|
| LM922-188 Cashew/Dark Brown | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 1 | For best results leave masking on when vector cutting |
| LM922-138 Cashew/Taupe | 50 | 70 | 500 | 1 | 50 | 40 | 500 | 1 | For best results leave masking on when vector cutting |
| LM922-134 Cashew/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 1 | For best results leave masking on when vector cutting |
| LM922-122 Toffee/Ash | 50 | 70 | 500 | 1 | 50 | 40 | 500 | 1 | For best results leave masking on when vector cutting |
| LM922-112 Toffee/White | 50 | 70 | 500 | 1 | 50 | 40 | 500 | 1 | For best results leave masking on when vector cutting |
| LM922-022 Cinnamon Stick/Ash | 50 | 70 | 500 | 1 | 50 | 40 | 500 | 1 | For best results leave masking on when vector cutting |
| LM922-222 Cinnamon Stick/White | 50 | 70 | 500 | 1 | 50 | 40 | 500 | 1 | For best results leave masking on when vector cutting |
| LM922-082 Kona/Ash | 50 | 70 | 500 | 1 | 50 | 40 | 500 | 1 | For best results leave masking on when vector cutting |
| LM922-0512 Kona/White | 50 | 70 | 500 | 1 | 50 | 40 | 500 | 1 | For best results leave masking on when vector cutting |

| Frosted Acrylics | Raster Power | Raster Speed | PPI | Passes | Vector Power | Vector Speed | Hz | Passes | Notes |
|---------------------|--------------|--------------|-----|--------|--------------|--------------|-------|--------|---|
| 442-101 Crystal Ice | N/A | N/A | N/A | N/A | 60 | 25 | 10000 | 2 | For best results leave masking on when vector cutting |
| 442-501 Ice Blue | N/A | | | | 60 | 25 | 10000 | 2 | For best results leave masking on when vector cutting |
| 442-501 Glass Green | N/A | N/A | N/A | N/A | 60 | 25 | 10000 | 2 | For best results leave masking on when vector cutting |

| Metalgraph Plus | Raster Power | Raster Speed | PPI | Raster Passes | Vector Power | Vector Speed | Hz | Vector Passes | Notes |
|---|--------------|--------------|-----|---------------|--------------|--------------|-----|---------------|-------|
| MP9X2-314 Brushed Stainless Steel/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| MP9X2-864 Brushed Copper Penny/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| MP9X2-764 Brushed Antique Gold/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| MP9X2-364 Brushed bright Nickel/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |

| | | | | | | | | |
|--|----|----|-----|---|----|----|-----|---|
| MP9X2-316 Brushed Stainless Steel/Red | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 |
| MP9X2-315 Brushed Stainless Steel/Blue | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 |
| MP9X2-766 Brushed Antique Gold/Red | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 |
| MP9X2-765 Brushed Antique Gold/Blue | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 |

| Multigraph | Raster Power | Raster Speed | PPI | Raster Passes | Vector Power | Vector Speed | Hz | Vector Passes | Notes |
|------------------------------|--------------|--------------|-----|---------------|--------------|--------------|-----|---------------|---|
| MG922-602 Mercury Red/White | 50 | 70 | 500 | 2 | 50 | 30 | 500 | 2 | For best results leave masking on when vector cutting |
| MG922-704 Solar Yellow/Black | 50 | 70 | 500 | 2 | 50 | 30 | 500 | 2 | For best results leave masking on when vector cutting |
| MG922-512 Moonstone/White | 50 | 70 | 500 | 2 | 50 | 30 | 500 | 2 | For best results leave masking on when vector cutting |
| MG922-402 Onyx/White | 50 | 70 | 500 | 2 | 50 | 30 | 500 | 2 | For best results leave masking on when vector cutting |
| MG922-204 Northstar/Black | 50 | 70 | 500 | 2 | 50 | 30 | 500 | 2 | For best results leave masking on when vector cutting |

| ColorCast Acrylics | Raster Power | Raster Speed | PPI | Raster Passes | Vector Power | Vector Speed | PPI | Vector Passes | Notes |
|---------------------------|--------------|--------------|-----|---------------|--------------|--------------|-----|---------------|-------|
| CC3X2-600M Red | 50 | 70 | 500 | 2 | 50 | 15 | 875 | 4 | |
| CC3X2-620M Burgundy | 50 | 70 | 500 | 2 | 50 | 15 | 875 | 4 | |
| CC3X2-500M Blue | 50 | 70 | 500 | 2 | 50 | 15 | 875 | 4 | |
| CC3X2-550M Navy Blue | 50 | 70 | 500 | 2 | 50 | 15 | 875 | 4 | |
| CC3X2-850M Almond | 50 | 70 | 500 | 2 | 50 | 15 | 875 | 4 | |
| CC3X2-200M White | 50 | 70 | 500 | 2 | 50 | 15 | 875 | 4 | |
| CC3X2-300M Grey | 50 | 70 | 500 | 2 | 50 | 15 | 875 | 4 | |
| CC3X2-400M Black | 50 | 70 | 500 | 2 | 50 | 15 | 875 | 4 | |
| CC3X2-710M Gold | 50 | 70 | 500 | 2 | 50 | 15 | 875 | 4 | |
| CC3X2-330M Silver | 50 | 70 | 500 | 2 | 50 | 15 | 875 | 4 | |

For a clear/polished look in the engraving, repeat the raster engraving using the same settings, but out of focus by .020"

| LaserMax | Raster Power | Raster Speed | PPI | Raster Passes | Vector Power | Vector Speed | PPI | Vector Passes | Notes |
|-------------------------------|--------------|--------------|-----|---------------|--------------|--------------|-----|---------------|-------|
| LM922-602 Crimson/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-607 Crimson/Yellow | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-622 Claret/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-612 Tangerine/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-704 Canary/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-932 Kelley Green/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-972 Celadon Green/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-912 Evergreen/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-512 Sky Blue/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-552 Patriot Blue/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-517 Sky Blue/Yellow | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-382 China Blue/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |

| | | | | | | | | | |
|--------------------------|----|----|-----|---|----|----|-----|---|--|
| LM922-582 Purple/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-206 White/Crimson | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-205 White/Sky Blue | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |

| LaserMax, cont. | Raster Power | Raster Speed | PPI | Raster Passes | Vector Power | Vector Speed | PPI | Vector Passes | Notes |
|-------------------------------|--------------|--------------|-----|---------------|--------------|--------------|-----|---------------|-------|
| LM922-204 White/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-854 Almond/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-312 Smoke Grey/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-402 Black/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-407 Black/Yellow | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-417 Black/Gold | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-413 Black/Silver | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-734 Br. Gold/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-754 European Gold/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-354 Br. Aluminum/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-334 Br. Silver/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-344 Smooth Silver/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-894 Br. Copper/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| LM922-884 Deep Bronze/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |

| LaserLIGHTS | Raster Power | Raster Speed | PPI | Raster Passes | Vector Power | Vector Speed | PPI | Vector Passes | Notes |
|---------------------------|--------------|--------------|-----|---------------|--------------|--------------|-----|---------------|-------|
| S61-* Black/White | 25 | 90 | 500 | 1 | 20 | 80 | 500 | 1 | |
| S62-* White/Black | 25 | 90 | 500 | 1 | 20 | 80 | 500 | 1 | |
| S63-* Br. Silver/Black | 25 | 90 | 500 | 1 | 20 | 80 | 500 | 1 | |
| S64-* Br. Brass/Black | 25 | 90 | 500 | 1 | 20 | 80 | 500 | 1 | |
| S65-* Black/Gold | 25 | 90 | 500 | 1 | 20 | 80 | 500 | 1 | |
| S66-* Red/White | 25 | 90 | 500 | 1 | 20 | 80 | 500 | 1 | |
| S67-* Blue/White | 25 | 90 | 500 | 1 | 20 | 80 | 500 | 1 | |
| S68-* Yellow/Black | 25 | 90 | 500 | 1 | 20 | 80 | 500 | 1 | |
| S69-* Br. Bronze/Black | 25 | 90 | 500 | 1 | 20 | 80 | 500 | 1 | |
| S73-* Smooth Silver/Black | 25 | 90 | 500 | 1 | 20 | 80 | 500 | 1 | |
| S74-* Smooth Gold/Black | 25 | 90 | 500 | 1 | 20 | 80 | 500 | 1 | |
| S75-* Black/Silver | 25 | 90 | 500 | 1 | 20 | 80 | 500 | 1 | |

| Textures | Raster Power | Raster Speed | PPI | Raster Passes | Vector Power | Vector Speed | PPI | Vector Passes | Notes |
|----------------------------------|--------------|--------------|-----|---------------|--------------|--------------|-----|---------------|-------|
| 822-642 Pimento/White | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-622 Ruby/White | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-652 Tangerine/White | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-774 Acid Yellow/Black | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-778 Acid Yellow/Dark Brown | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-962 Jungle Green/White | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-992 Teal/White | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-902 Black Forest Green/White | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |

| | | | | | | | | | |
|--------------------------------|----|----|-----|---|----|----|-----|---|--|
| 822-592 Royal Blue/White | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-503 Sapphire/White | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-382 China Blue/White | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-258 Bermuda Tan/Dark Brown | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-854 Desert Sand/Black | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-892 Coffee Bean/White | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-246 White/Red | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-205 Winter White/Blue | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-244 Winter White/Black | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-302 Ash Grey/White | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-374 Ash Grey/Black | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |
| 822-422 Coal Black/White | 60 | 50 | 500 | 3 | 60 | 40 | 500 | 2 | |

| FlexiBrass & FlexiColor | Raster Power | Raster Speed | PPI | Raster Passes | Vector Power | Vector Speed | PPI | Vector Passes | Notes |
|------------------------------------|--------------|--------------|-----|---------------|--------------|--------------|-----|---------------|-------|
| 602-937 Verde/Brass | 50 | 70 | 500 | 1 | 50 | 10 | 500 | 1 | |
| 602-735 Br. Gold/Blue | 50 | 70 | 500 | 1 | 50 | 10 | 500 | 1 | |
| 602-734 Br. Gold/Black | 50 | 70 | 500 | 1 | 50 | 10 | 500 | 1 | |
| 602-884 Deep Bronze/Black | 50 | 70 | 500 | 1 | 50 | 10 | 500 | 1 | |
| 602-894 Br. Copper/Black | 50 | 70 | 500 | 1 | 50 | 10 | 500 | 1 | |
| 602-354 Br. Aluminum/Black | 50 | 70 | 500 | 1 | 50 | 10 | 500 | 1 | |
| 602-417 Matte Black/Brass | 50 | 70 | 500 | 1 | 50 | 10 | 500 | 1 | |
| 602-427 Glossy Black/Brass | 50 | 70 | 500 | 1 | 50 | 10 | 500 | 1 | |
| 602-602 Red/White | 50 | 70 | 500 | 1 | 50 | 10 | 500 | 1 | |
| 602-744 Yellow/Black | 50 | 70 | 500 | 1 | 50 | 10 | 500 | 1 | |
| 602-512 Blue/White | 50 | 70 | 500 | 1 | 50 | 10 | 500 | 1 | |
| 602-204 White/Black | 50 | 70 | 500 | 1 | 50 | 10 | 500 | 1 | |
| 602-402 Black/White | 50 | 70 | 500 | 1 | 50 | 10 | 500 | 1 | |
| 602-577 Celestial Blue/Gold | 50 | 70 | 500 | 1 | 50 | 10 | 500 | 1 | |

| LASERmag | Raster Power | Raster Speed | PPI | Raster Passes | Vector Power | Vector Speed | PPI | Vector Passes | Notes |
|----------------------------|--------------|--------------|-----|---------------|--------------|--------------|-----|---------------|-------|
| LM63-1224 Br. Silver/Black | 50 | 70 | 500 | 1 | 50 | 15 | 500 | 1 | |
| LM64-1224 Br. Gold/Black | 50 | 70 | 500 | 1 | 50 | 15 | 500 | 1 | |
| LM65-1224 Black/Gold | 50 | 70 | 500 | 1 | 50 | 15 | 500 | 1 | |

| LaserMark | Raster Power | Raster Speed | PPI | Raster Passes | Vector Power | Vector Speed | PPI | Vector Passes | Notes |
|------------------------------|--------------|--------------|-----|---------------|--------------|--------------|-----|---------------|-------|
| 922-602 Red/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-607 Red/Yellow | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-704 Yellow/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-932 Bright Green/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-912 Pine Green/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-502 Sapphire/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-512 Blue/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-512 Blue/Yellow | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-552 Navy Blue/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-822 Medium Brown/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-842 Dark Brown/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-228 Ivory/Brown | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-206 White/Red | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-205 White/Blue | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-204 White/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-322 Light Grey/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-312 Grey/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-407 Black/Yellow | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-402 Black/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-417 Black/Gold | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-402 Black/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-937 Verde/Gold | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-734 Br. Gold/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-754 European Gold/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-354 Br. Aluminium/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-334 Br. Silver/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-344 Smooth Silver/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-894 Br. Copper/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-884 Deep Bronze/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-152 Cherry/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-172 Walnut/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-192 English Walnut/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-002 Black Walnut/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |

| Reverse LaserMark | Raster Power | Raster Speed | PPI | Raster Passes | Vector Power | Vector Speed | PPI | Vector Passes | Notes |
|---------------------------|--------------|--------------|-----|---------------|--------------|--------------|-----|---------------|-------|
| 922-601 Matte/Red | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-621 Matte/Burgundy | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-551 Matte/Navy Blue | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-201 Matte/White | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-221 Matte/Ivory | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-401 Matte/Black | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-711 Matte/Smooth Gold | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-710 Gloss/Smooth Gold | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |

| | | | | | | | | | |
|-----------------------------|----|----|-----|---|----|----|-----|---|--|
| 922-341 Matte/Smooth Silver | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |
| 922-340 Gloss/Smooth Silver | 50 | 70 | 500 | 2 | 50 | 40 | 500 | 2 | |

For a clear/polished look in the engraving, repeat the raster engraving using the same settings, but out of focus by .020"

| ADA Alternative | Raster Power | Raster Speed | PPI | Raster Passes | Vector Power | Vector Speed | Hz | Vector Passes | Notes |
|------------------|--------------|--------------|-----|---------------|--------------|--------------|-----|---------------|---|
| | | | | | | | | | If material has adhesive on the back, you may need to reduce the speed or complete more than 1 pass |
| All colors 1/32" | | | | | 50 | 40 | 500 | 2 | |
| All colors 1/16" | | | | | 50 | 40 | 500 | 2 | |

| Granites Deluxe | Raster Power | Raster Speed | PPI | Raster Passes | Vector Power | Vector Speed | Hz | Vector Passes | Notes |
|------------------------------|--------------|--------------|-----|---------------|--------------|--------------|-----|---------------|--|
| | | | | | | | | | Due to Granites Deluxe thick cap, raster engraving may require multiple passes at high watts of power. |
| 722-514 Glacier Blue/Black | 80 | 50 | 500 | 2 + | 50 | 40 | 500 | 2 | |
| 722-517 Glacier Blue/Gold | 80 | 50 | 500 | 2 + | 50 | 40 | 500 | 2 | |
| 722-512 Glacier Blue/White | 80 | 50 | 500 | 2 + | 50 | 40 | 500 | 2 | |
| 722-914 Jade/Black | 80 | 50 | 500 | 2 + | 50 | 40 | 500 | 2 | |
| 722-917 Jade/Gold | 80 | 50 | 500 | 2 + | 50 | 40 | 500 | 2 | |
| 722-912 Jade/White | 80 | 50 | 500 | 2 + | 50 | 40 | 500 | 2 | |
| 722-817 Sandstone/Gold | 80 | 50 | 500 | 2 + | 50 | 40 | 500 | 2 | |
| 722-818 Sandstone/Dark Brown | 80 | 50 | 500 | 2 + | 50 | 40 | 500 | 2 | |
| 722-812 Sandstone/White | 80 | 50 | 500 | 2 + | 50 | 40 | 500 | 2 | |
| 722-317 Charcoal/Gold | 80 | 50 | 500 | 2 + | 50 | 40 | 500 | 2 | |
| 722-312 Charcoal/White | 80 | 50 | 500 | 2 + | 50 | 40 | 500 | 2 | |
| 722-510 Clear/Glacier Blue | 80 | 50 | 500 | 2 + | 50 | 40 | 500 | 2 | |
| 722-910 Clear/Jade | 80 | 50 | 500 | 2 + | 50 | 40 | 500 | 2 | |
| 722-810 Clear/Sandstone | 80 | 50 | 500 | 2 + | 50 | 40 | 500 | 2 | |
| 722-310 Clear/Charcoal | 80 | 50 | 500 | 2 + | 50 | 40 | 500 | 2 | |